

Are health protective behaviors promoted by anticipated regret?

Lise Xiong, Serge Caparos, Sabine Gueraud, Chrystelle Augusto, Marianne Habib

▶ To cite this version:

Lise Xiong, Serge Caparos, Sabine Gueraud, Chrystelle Augusto, Marianne Habib. Are health protective behaviors promoted by anticipated regret?. Journal of Health Psychology, 2024, 10.1177/13591053241298516. hal-04813886

HAL Id: hal-04813886 https://hal.parisnanterre.fr/hal-04813886v1

Submitted on 2 Dec 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Title: ARE HEALTH PROTECTIVE BEHAVIORS PROMOTED BY ANTICIPATED REGRET?

Short running title: ANTICIPATED REGRET AND HEALTH PROTECTIVE BEHAVIORS

Lise C. XIONG

M.D., Laboratoire DysCo, Université Paris 8, COMUE Paris Lumières (UPL), Saint-Denis, France.

ORCID ID: 0009-0005-2644-5176

Serge CAPAROS,

PhD, HDR, Laboratoire DysCo, Université Paris 8, Institut Universitaire de France, Paris, France.

ORCID ID: 0000-0001-6922-4449

Sabine GUERAUD,

PhD, HDR, Laboratoire DysCo, Laboratoire CHArt, Université Paris 8, COMUE Paris Lumières (UPL), Saint-Denis, France.

ORCID ID: 0000-0001-8689-6677

Chrystelle AUGUSTO

M.D., Groupe SOS, Pavillon Royal, Nandy, France.

Marianne HABIB

PhD, Laboratoire DysCo, Université Paris 8, COMUE Paris Lumières (UPL), Saint-Denis, France.

ORCID ID: 0000-0002-4172-5994

ANTICIPATED REGRET AND HEALTH PROTECTIVE BEHAVIORS

2

Corresponding author:

*Lise XIONG

Paris 8 University - Department of Psychology

2, Rue de la Liberté, 93526 Saint-Denis Cedex 02, FRANCE.

Email: lise.xiong.p8@gmail.com

Tel: +33. (0)1.49.40.64.86

https://orcid.org/0009-0005-2644-5176

DECLARATIONS OF CONFLICTING INTEREST

The Authors declare that there is no conflict of interest.

FUNDING STATEMENT

This study was exclusively funded by our affiliated institution (Paris 8 University). The author did not receive any funding from another source for this research.

ACKNOWLEDGEMENTS

We thank the participants of the study for their active involvement in the study.

RESEARCH ETHICS AND PARTICIPANTS CONSENT

The research was pre-approved by the protection data officer of the institution.

ANTICIPATED REGRET AND HEALTH PROTECTIVE BEHAVIORS

In accordance with international norms governing the use of human research participants,

3

written informed consent was obtained from all the participants, and adolescents provided

online parental consent in accordance with the Declaration of Helsinki.

DATA AVAILABILITY STATEMENT

The authors confirm that the data supporting the findings of this study are available within the

article or its supplementary materials.

Abstract

Several factors influence the adoption of health-protective behaviors, including anticipatory

affective reactions like regret. The ability to anticipate regret matures with age, allowing

individuals to make increasingly risk-averse decisions. This study examined the relationship

between age and the adoption of health-protective behaviors to limit the spread of a virus from

adolescence to adulthood, and the mediating effect of anticipated regret. A total of 410 French

participants, aged 14 to 58, reported their compliance with health-protective behaviors (e.g.

using surgical masks, handwashing, social distancing), along with their anticipated regret in the

event of non-adherence to such behaviors leading to the contamination of themselves or others.

The findings revealed that both the adoption of these behaviors and anticipated regret increased

with age. Moreover, anticipated regret mediated the effect of age on health-protective behavior,

encouraging higher compliance with preventive measures and reducing risk-taking.

Key-words: Public Health, Regret, Risk-taking, Adolescence, Adulthood

INTRODUCTION

In recent years, theoretical models of motivation and engagement in health behaviors have increasingly integrated affective concepts such as anticipated emotions (Brewer et al., 2016). Based on the theory of planned behavior (Sandberg and Conner, 2008), the extant literature indicates that individuals' negative affective states exert both indirect and direct effects on health behaviors. Engagement in health behaviors encompasses all actions aimed at improving or maintaining health, such as abstaining from alcohol consumption, refraining from smoking, or using surgical masks (e.g., in a contaminated area), among others (Capasso et al., 2021; Conner et al., 2017; Kirscht, 1983; McEachan et al., 2016; Stevens et al., 2019). This engagement has been studied in particular in the health belief model (Abraham and Sheeran, 2001), comparing the attitudes and beliefs of adolescents and adults in order to develop the most effective prevention programs for reducing adolescent risk-taking (alcohol use, sexual protection). The COVID-19 pandemic provided a unique opportunity to study the impact of an anticipated emotion, namely anticipated regret, on the adoption of healthprotective behaviors in response to a novel health risk from adolescence to adulthood. Numerous countries implemented preventive measures to limit the spread of the pandemic, notably the use of surgical masks and social distancing. While the elderly and chronic-disease patients were the most vulnerable (Zheng et al., 2020), adolescents' and young adults' adherence to protective behaviors was essential to control the spread of COVID-19 (Andrews et al., 2020; Pasion et al., 2020). However, as these behaviors are implemented at the individual level, there is considerable variation in their manifestation.

Prior research on health behaviors suggests a linear relationship between age and health and safety decisions among adults, such as protective behaviors (Pasion et al., 2020). Older adults seem to engage in adaptive self-regulation, making more self-protective decisions (Västfjäll et al., 2011; Wrosch and Heckhausen, 2002). In contrast, adolescents

appear more likely to make risky health decisions, including alcohol use, tobacco use, unhealthy dietary behaviors, and risky sexual behaviors (Albert and Steinberg, 2011; Resnick et al., 1997). Adolescents were also more likely to engage in risky health behaviors related to COVID-19 (Dardas et al., 2020; Zhong et al., 2020). One mediating factor that may account for this age-related difference is anticipated regret (Brewer et al., 2016).

Regret occurs when we realize that our current situation could have been better if we had decided differently (Camille et al., 2004; Habib and Cassotti, 2015; Zeelenberg et al., 2008). The anticipation of regret is contingent upon one's capacity to predict the circumstances under which regret may arise and the degree to which it may be experienced (Mellers, 2000). Given the unpleasant nature of regret, people will try to avoid making decisions they may later regret (Camille et al., 2004; Habib and Cassotti, 2015; Pieters and Zeelenberg, 2007). Regret, in its anticipated or post-decisional instances, therefore represents a form of emotional learning (Camille et al., 2004; McCormack et al., 2020) that has been associated to the desire to improve oneself and to correct past mistakes (Breugelmans et al., 2014). For example, regret can influence individuals' risk-taking behavior: participants who anticipate regret the most before deciding would also be the least likely to take risks (Sandberg and Conner, 2008; Smerecnik and Ruiter, 2010). The same positive effect of anticipated regret has been observed in the context of the adoption of health-protective behaviors (Sandberg and Conner, 2008; Smerecnik and Ruiter, 2010). Anticipated regret is a significant factor contributing to the observed variation in the adoption of health-protective behaviors among adults (Richard et al., 1996; Sandberg and Conner, 2008; Smerecnik and Ruiter, 2010).

Regret avoidance is already at play during adolescence (Feeney et al., 2018; Richard et al., 1996). However, while some studies reported that anticipated regret can positively influence the adoption of health-protective behavior during adolescence (Caffray and

Schneider, 2000; Richard et al., 1996; Van Der Pligt and Richard, 1994), others have found that this effect diminishes when negative consequences are perceived to occur in the distant future (Brown et al., 2011). Adolescents are generally perceived as taking more risks than adults (Habib et al. 2023), and past studies indicate that adolescence is a period characterized by increased risk behaviors, such as higher levels of substance abuse or unprotected sex (Dahl, 2004). Understanding health protective behaviors across ages is therefore an issue of public health. Capasso et al. (2021) investigated the effect of exposure to messages targeting cognitive attitude, combined with regret reactions on intentions to get vaccinated against COVID-19. The study revealed that participants exposed to regret did not report higher intentions to get vaccinated compared with participants in the control group. However, this study examined the manipulation of a message aiming at promoting vaccination, and did not examine the impact of the emotions felt by the participants on the intention to get vaccinated.

In the present study, we aimed to explore (i) whether the adoption of health-protective behaviors in the context of COVID-19 pandemic (French Ministry of Health and Solidarity, 2020) increased from adolescence to adulthood (Caffray and Schneider, 2000; Richard et al., 1996; Van Der Pligt and Richard, 1994), and (ii) whether the latter increase was mediated by an increase in anticipated regret with age. We hypothesized that both the adoption of protective behaviors and the anticipation of regret would increase with age (Feeney et al., 2018; Habib et al., 2012; McCormack and Feeney, 2015; Pasion et al., 2020) and that the relationship between age and protective behaviors would be mediated by the experience and anticipation of regret (Brewer et al., 2016; Penţa et al., 2020).

METHOD

Participants

465 native French speakers, recruited via social networks, volunteered to complete an online questionnaire. Fifty-five participants were excluded for not fully completing the

questionnaire. The final sample consisted of 410 participants: 109 adolescents (76 women, aged 14-19; see Table 1), 197 young adults (136 women; aged 20-29) and 104 middle-aged adults (96 women; aged 30-58). The age ranges were selected based on the findings of previous research in the healthcare field (Katanoda et al., 2017).

In accordance with international norms governing the use of human research participants, written informed consent was obtained from all the participants, and adolescents provided online parental consent in accordance with the Declaration of Helsinki. The research design and questionnaire were submitted to and approved by the institution's data protection officer.

The distributions of areas of residence and adults' socio-professional categories are reported in the supplementary material. Data were collected between December 2020 and May 2021. This period corresponded to the second epidemic wave in France, which led to lockdowns, curfews and social withdrawal, and occurred before eligibility for COVID-19 vaccination.

Measures and procedure

Participants filled a 27-item questionnaire using 10-point Likert scales. First, they answered five demographical questions. Next, they answered 18 items based on six types of preventive measures recommended by the French government (French Ministry of Health and Solidarity, 2020). This section assessed their adherence to six types of protective behaviors: wearing a surgical mask; handwashing; coughing and sneezing into your elbow; avoiding touching face; social distancing greetings; restricting social contacts. Subsequently, based on previous studies measuring regret feeling and anticipated regret (Smerecnik and Ruiter, 2010; Zeelenberg et al., 1998), participants answered four items designed to assess the degree to which they anticipate feeling regret in the event of viral transmission due to non-adherence to recommended protective measures. These items addressed four plausible situations; non-

adherence to barrier procedures, contracting the virus, infecting a close person, and infecting a less closely acquainted individuals (Cronbach's alpha = .86) (see the supplementary material for a complete list of the questionnaire items and the correlations of anticipated regret scale items).

We computed an average score for the adoption of protective behaviors by averaging the responses to the items related to health-protective behaviors, and an average score for anticipated regret by averaging the responses to the items related to anticipated regret.

RESULTS

Two analyses of variance (ANOVA) were conducted to determine whether Age Group (adolescence vs. early adulthood vs. middle adulthood) affected (1) the adoption of health-protective behaviors and (2) anticipated regret. Both analyses revealed a significant effect of Age Group, F(2,410) = 40.12, p < .001, $\eta_p^2 = .17$ and F(2,240) = 16.65, p < .001, $\eta_p^2 = .08$ respectively (see Table 1 for detailed means and standard deviations in each age group). Games-Howell post-hoc tests indicated that adolescents adopted fewer protective behaviors and reported less regret than young adults, ps < .001, $d_{Cohen} = 0.68$ and $d_{Cohen} = 0.33$ respectively, who also adopted fewer protective behaviors and reported less regret than middle-aged adults, ps < .001, $d_{Cohen} = 1.17$ and $d_{Cohen} = 0.77$ respectively.

Table 1. *Means and standard deviations for Age, Adoption of protective behaviors and Anticipated regret in each age group.*

	Age		Adoption of protective behaviors		Anticipated regret	
	M	SD	M	SD	M	SD
Adolescents (14-19 y.o.)	16.85	0.85	5.88	1.43	6.50	1.99
Young adults (20-29 y.o.)	21.76	1.29	6.78	1.20	7.13	1.89

M-A adults (30-58 y.o.)

40.27

6.98

7.41

1.18

8.06

2.09

Note. M-A adults = middle-aged adults

The mediation analysis performed to assess the mediating role of anticipated regret on the relationship between age and protective behaviors confirmed that age was significantly related to both the adoption of protective behaviors ($\beta = .18$, p < .001, z = 4.86) and anticipated regret ($\beta = .26$, p < .001, z = 5.49) (see supplementary materials). Moreover, anticipated regret acted as a mediating variable in the relationship between age and the adoption of health-protective behaviors, $\beta = .62$, p < .001, z = 16.82. The effect of age on adoption of protective behaviors was reduced when anticipated regret was controlled for ($\beta = .16$, p < .001).

DISCUSSION

Our findings suggest that both the adoption of health-protective behaviors aimed at preventing the spread of a virus (namely COVID-19) and anticipated regret in the event of engaging in risky health behaviors related to COVID-19 (i.e., lower adoption of the recommended protective behaviors) increase from adolescence to adulthood. These results are consistent with previous literature showing improved adaptive self-regulation for health maintenance (Brewer et al., 2016; Penţa et al., 2020), as well as enhanced emotional self-regulation and greater anticipation of regret with age (Artistico et al., 2010; Feeney et al., 2018; Smerecnik and Ruiter, 2010). This finding extends prior studies highlighting that perceived risk alone is not a sufficient condition to initiate adaptative self-regulation for health maintenance; regret must also be considered in health risk-taking and in the adoption of health-related protective behaviors (Artistico et al., 2010; Brewer et al., 2016; Pasion et al., 2020; Penţa et al., 2020; Ravert et al., 2021). Our findings further indicate that adolescents are capable of anticipating the regret associated with the non-adoption of recommended health-protective behaviors, which influences their decision making. Consistent with previous

studies (Dardas et al., 2020; Zhong et al., 2020), our findings suggest that adolescents are less likely than adults to adhere to pandemic-related safety protocols.

In line with previous research (Feeney et al., 2018), regret intensity is greater in adults than in adolescents. Specifically, as people age, they tend to anticipate regret more intensely, which then influences their safety decisions, and their engagement in more preventive behaviors to maintain a good health. In addition, our results support past studies indicating that greater anticipated regret from not engaging in a particular behavior is related to a stronger engagement in that behavior and to a stronger intention to engage in that behavior in the future (Brewer et al., 2016).

However, the present results differ from some previous research (Capasso et al., 2021), which found no effect of the anticipated negative affect (including regret) and cognitive attitudes on the intention to adopt a health-protective behavior against COVID-19. This difference in findings may be due to methodological variations in how negative emotions were introduced. Some authors suggest that using specific negative emotions to prevent the spread of COVID-19 may be counterproductive (Chou and Budenz, 2020). Individuals might perceive the risk as exaggerated, leading to disengagement from protective behaviors such as vaccination. In this study, participants were only asked to anticipate the regret associated with infecting others.

This study has several limitations that should to be taken into consideration in future research. In particular, these results may not be fully generalizable to other countries, especially those that have adopted different strategies to combat the COVID-19 pandemic (e.g. quarantining of cities, policy of collective immunity). In addition, our findings can only be generalized to viruses with propagation mechanisms similar to those of COVID-19.

Another limitation to consider is the larger number of women than men in our sample (308 women and 102 men), as previous research suggested a significant association between male

gender and risky health behaviors related to COVID-19 (Zhong et al., 2020). Although our theoretical framework was based on the theory of planned behavior, we did not examine "attitudes" toward the virus, which may influence the relation between anticipated regret and the adoption of protective behaviors. Future studies should include this parameter in order to gain a more comprehensive understanding of the relationship between regret and health-protective behaviors.

CONCLUSION

In sum, this study suggests that anticipated regret contributes to the adoption of health-protective behaviors and consequently to the reduction of health-related risk-taking – from adolescence onwards – and should therefore be considered when designing interventions to combat viral pandemics. Future research on regret related to health decisions could benefit from exploring health-protective behaviors against viruses and diseases with varying levels of health risk, from adolescence to ages beyond 60, particularly for potential use in health-behavior interventions.

DECLARATIONS OF CONFLICTING INTEREST

The Authors declare that there is no conflict of interest.

REFERENCES

- Abraham C and Sheeran P (2003) Acting on intentions: The role of anticipated regret. *British Journal of Social Psychology* 42(4): 495–511.
- Albert D and Steinberg L (2011) Judgment and Decision Making in Adolescence. *Journal of Research on Adolescence* 21(1): 211–224.
- Andrews JL, Mills KL, Flournoy JC, et al. (2020) Expectations of Social Consequences Impact

 Anticipated Involvement in Health-Risk Behavior During Adolescence. *Journal of Research on Adolescence* 30(4): 1008–1024.
- Artistico D, Orom H, Cervone D, et al. (2010) Everyday Challenges in Context: The Influence of Contextual Factors on Everyday Problem Solving Among Young, Middle-Aged, and Older Adults. *Experimental Aging Research* 36(2): 230–247.
- Brewer NT, DeFrank JT and Gilkey MB (2016) Anticipated regret and health behavior: A metaanalysis. *Health Psychology* 35(11): 1264–1275.
- Brown KE, Hurst KM and Arden MA (2011) Improving adolescent contraceptive use:

 Evaluation of a theory-driven classroom-based intervention. *Psychology, Health & Medicine* 16(2): 141–155.
- Caffray CM and Schneider SL (2000) Why do they do it? Affective motivators in adolescents' decisions to participate in risk behaviours. *Cognition & Emotion* 14(4): 543–576.
- Camille N, Coricelli G, Sallet J, et al. (2004) The Involvement of the Orbitofrontal Cortex in

- the Experience of Regret. Science 304(5674): 1167–1170.
- Capasso M, Caso D and Conner M (2021) Anticipating pride or regret? Effects of anticipated affect focused persuasive messages on intention to get vaccinated against COVID-19.

 Social Science & Medicine 289: 114416.
- Chou W-YS and Budenz A (2020) Considering Emotion in COVID-19 Vaccine Communication: Addressing Vaccine Hesitancy and Fostering Vaccine Confidence.

 *Health Communication 35(14): 1718–1722.
- Conner M, McEachan R, Lawton R, et al. (2017) Applying the reasoned action approach to understanding health protection and health risk behaviors. *Social Science & Medicine* 195: 140–148.
- Dahl RE (2004) Adolescent Brain Development: A Period of Vulnerabilities and Opportunities.

 Keynote Address. *Annals of the New York Academy of Sciences* 1021(1): 1–22.
- Dardas LA, Khalaf I, Nabolsi M, et al. (2020) Developing an Understanding of Adolescents' Knowledge, Attitudes, and Practices Toward COVID-19. *The Journal of School Nursing* 36(6): 430–441.
- Feeney A, Travers E, O'Connor E, et al. (2018) Knowing when to hold 'em: regret and the relation between missed opportunities and risk taking in children, adolescents and adults. *Cognition and Emotion* 32(3): 608–615.
- French Ministry of Health and Solidarity (2020) Épidémie de COVID-19 : Chacun doit appliquer tous les gestes barrières Ministère du travail, de la santé et des solidarités.

 Available at: https://sante.gouv.fr/archives/archives-presse/archives-communiques-de-presse/article/epidemie-de-covid-19-chacun-doit-appliquer-tous-les-gestes-barrières

(accessed 21 September 2024).

- Habib M (2015) Le temps des regrets : comment le developpement du regret influence-t-il la prise de decision a risque des enfants et des adolescents ? *L'année psychologique*. Epub ahead of print 2015.
- Habib M, Cassotti M, Borst G, et al. (2012) Counterfactually mediated emotions: A developmental study of regret and relief in a probabilistic gambling task. *Journal of Experimental Child Psychology* 112(2): 265–274.
- Habib M, Osmont A, Tavani J-L, et al. (2023) Is adolescence believed to be a period of greater risk taking than adulthood? *International Journal of Adolescence and Youth* 28(1): 2242469.
- Katanoda K, Shibata A, Matsuda T, et al. (2017) Childhood, adolescent and young adult cancer incidence in Japan in 2009–2011. *Japanese Journal of Clinical Oncology* 47(8): 762–771.
- Kirscht JP (1983) Preventive health behavior: A review of research and issues. *Health Psychology* 2(3): 277–301.
- McCormack T and Feeney A (2015) The development of the experience and anticipation of regret. *Cognition and Emotion* 29(2): 266–280.
- McCormack T, Feeney A and Beck SR (2020) Regret and Decision-Making: A Developmental Perspective. *Current Directions in Psychological Science* 29(4): 346–350.
- McEachan R, Taylor N, Harrison R, et al. (2016) Meta-Analysis of the Reasoned Action Approach (RAA) to Understanding Health Behaviors. *Annals of Behavioral Medicine* 50(4): 592–612.

- Pasion R, Paiva TO, Fernandes C, et al. (2020) The AGE Effect on Protective Behaviors During the COVID-19 Outbreak: Sociodemographic, Perceptions and Psychological Accounts. Frontiers in Psychology 11: 561785.
- Penţa MA, Crăciun IC and Băban A (2020) The power of anticipated regret: Predictors of HPV vaccination and seasonal influenza vaccination acceptability among young Romanians.

 Vaccine 38(6): 1572–1578.
- Ravert RD, Fu LY and Zimet GD (2021) Young Adults' COVID-19 Testing Intentions: The Role of Health Beliefs and Anticipated Regret. *Journal of Adolescent Health* 68(3): 460–463.
- Resnick MD (1997) Protecting adolescents from harm. Findings from the National Longitudinal Study on Adolescent Health. *JAMA: The Journal of the American Medical Association* 278(10): 823–832.
- Richard R, Van Der Pligt J and De Vries N (1996) Anticipated Affect and Behavioral Choice.

 *Basic and Applied Social Psychology 18(2): 111–129.
- Sandberg T and Conner M (2008) Anticipated regret as an additional predictor in the theory of planned behaviour: A meta-analysis. *British Journal of Social Psychology* 47(4): 589–606.
- Smerecnik CMR and Ruiter RAC (2010) Fear appeals in HIV prevention: The role of anticipated regret. *Psychology, Health & Medicine* 15(5): 550–559.
- Stevens CJ, Gillman AS, Gardiner CK, et al. (2019) Feel good now or regret it later? The respective roles of affective attitudes and anticipated affective reactions for explaining health-promoting and health risk behavioral intentions. *Journal of applied social*

psychology 49(6): 1–18.

- Van Der Pligt J and Richard R (1994) Changing adolescents' sexual behaviour: perceived risk, self-efficacy and anticipated regret. *Patient Education and Counseling* 23(3): 187–196.
- Västfjäll D, Peters E and Bjälkebring P (2011) The Experience and Regulation of Regret Across the Adult Life Span. In: Nyklíček I, Vingerhoets A, and Zeelenberg M (eds) *Emotion Regulation and Well-Being*. New York, NY: Springer New York, pp. 165–180. Available at: http://link.springer.com/10.1007/978-1-4419-6953-8_10 (accessed 19 August 2024).
- Wrosch C and Heckhausen J (2002) Peceived control of life regrets: Good for young and bad for old adults. *Psychology and Aging* 17(2): 340–350.
- Zeelenberg M, Nelissen RMA, Breugelmans SM, et al. (2008) On emotion specificity in decision making: Why feeling is for doing. *Judgment and Decision Making* 3(1): 18–27.
- Zheng Z, Peng F, Xu B, et al. (2020) Risk factors of critical & mortal COVID-19 cases: A systematic literature review and meta-analysis. *Journal of Infection* 81(2): e16–e25.

Zhong B-L, Luo W, Li H-M, et al. (2020) Knowledge, attitudes, and practices towards COVID-19 among Chinese residents during the rapid rise period of the COVID-19 outbreak: a quick online cross-sectional survey. *International Journal of Biological Sciences* 16(10): 1745–1752.